National 5 HTML Quick Guide

Trinket code: https://trinket.io/html/2ce34cd404

HTML	Output
Basic HTML structure	
html	
<html></html>	
<head></head>	
Heading Styles	Heading style 1
Six heading styles that can be custom styled<br <h1>Heading style 1</h1> <h2>Heading style 2</h2>	Heading style 2
<h3>Heading style 3</h3>	Heading style 3
<h4>Heading style 4</h4> <h5>Heading style 5</h5>	Heading style 4
<h6>Heading style 6</h6>	Heading style 5
	Heading style 6
Paragraph	
Paragraph This is a new paragraph	This is a new paragraph
Unordered List	
This is an unordered list (bullet points) Bullet point 1 Bullet point 2 Bullet point 3 Bullet point 4 	 Bullet point 1 Bullet point 2 Bullet point 3 Bullet point 4

Ordered List

```
<!--This is an ordered list (numbered) -->

    Text to display
    Text to display
    Text to display
    Text to display
    Text to display
```

- 1. Text to display
- 2. Text to display
- Text to display
- 4. Text to display

How to include an image

```
<!--How to include an image-->
<img src ="smiley.jpg" height=200px width=200px>
```



How to include Hyperlinks

```
<!--Anchor Hyperlinks Internal/External -->
<a href ="page2.html"> This is an internal hyperlink</a>
<a href ="https://www.bbc.co.uk/bitesize/subjects/zfs3kqt">This is an external hyperlink to BBC Bitesize
Go to <a href ="http://www.marr.sayr.sch.uk/">Marr College homepage</a> within a paragraph
```

This is an internal hyperlink

This is an external hyperlink to BBC Bitesize

Go to Marr College homepage within a paragraph

How to Link to external CSS style sheet

In the <head> section of each page

```
<!--link to external stylesheet CSS (styles.css)--> 
<link rel="stylesheet" href="styles.css">
```

How to include an internal style sheet

In the <head> section

```
<!--Internal stylesheets CSS can be added to head section-->
<style>


CSS goes here

</style> <!--End of CSS-->
```

How to include Audio

```
▶ 0:00 / 0:00 •
```

How to include Video



How to use <div> tags

```
<!--How to divide your page <div> internal style --> <div style = "background-color:red; color:white;"> This is a paragraph inside a div tag which allows you to style areas seperately. </div>
```

This is a paragraph inside a div tag which allows you to style areas seperately.

How to use id attributes

```
<!--Using id attributes to style one element-->
<div id = "styleId"> <!--ids should have meaningful names-->
ID tags can be added to any HTML
element that allows you to style them using
internal styles in the HEAD section or an
external style sheet
</div>
```

ID tags can be added to any HTML element that allows you to style them using internal styles in the HEAD section or an external style sheet

In CSS id attributes start with # e.g. #styleID{ }

How to use class attributes

```
<!--Using class attributes to style
multiple elements the same-->

cp class = "paraClass"><!--class names should be meaningful-->
    This paragraph will change to the class styles

cp class = "paraClass">
    This paragraph will change to the class styles

cp>
This paragraph is not included in the paraClass styles
```

In CSS class attributes start with . e.g .paraClass{ }

This paragraph will change to the class styles

This paragraph will change to the class styles

This paragraph is not included in the paraClass styles